

## Interpon Commercial Collection



AAMA 2604



AAMA 2605



| Color Name        | Technology | Code   | Finish    | R   | G   | B   | LRV | AAMA        | Stock |
|-------------------|------------|--------|-----------|-----|-----|-----|-----|-------------|-------|
| Anodic Natural    | D2525      | YY223A | Matt      | 175 | 180 | 175 | 41% | 2603 & 2604 | S     |
| Anodic Slate Grey | D2525      | YY218A | Matt      | 137 | 136 | 135 | 23% | 2603 & 2604 | O     |
| Appliance White   | D2525      | YA196A | Satin     | 238 | 243 | 240 | 91% | 2603 & 2604 | S     |
| Asteroid Pearl    | D2525      | YY270A | Matt      | 91  | 92  | 84  | 11% | 2603 & 2604 | S     |
| Black             | D2525      | YN167A | Satin     | 44  | 50  | 49  | 5%  | 2603 & 2604 | S     |
| Black Ink         | D2525      | YN21BA | Flat Matt | 48  | 53  | 51  | 4%  | 2603 & 2604 | S     |
| Bleu Sable™       | D2525      | YW353F | Texture   | 54  | 73  | 84  | 8%  | 2603 & 2604 | O     |
| Bondi Blue        | D2525      | YJ046A | Gloss     | 48  | 131 | 193 | 20% | 2603 & 2604 | S     |
| Brilliance        | D2525      | YY23TA | Flat Matt | 103 | 99  | 88  | 15% | 2603 & 2604 | S     |
| Brilliant Yellow  | D2525      | YE087A | Gloss     | 245 | 223 | 61  | 66% | 2603 & 2604 | S     |
| Bronze Pearl      | D2525      | YY225A | Matt      | 77  | 71  | 56  | 8%  | 2603 & 2604 | S     |
| Champagne Pearl   | D2525      | YY276A | Matt      | 178 | 180 | 172 | 41% | 2603 & 2604 | S     |
| Champagne Riche   | D2525      | YW277G | Matt      | 189 | 184 | 167 | 44% | 2603 & 2604 | O     |
| Champagne Shimmer | D2525      | YY24NA | Flat Matt | 135 | 127 | 114 | 25% | 2603 & 2604 | S     |
| Charcoal          | D2525      | YP116A | Satin     | 62  | 70  | 73  | 8%  | 2603 & 2604 | S     |
| Charcoal          | D2525      | YL238A | Matt      | 60  | 67  | 69  | 6%  | 2603 & 2604 | S     |
| Charcoal Pearl    | D2525      | YY237A | Matt      | 63  | 65  | 62  | 6%  | 2603 & 2604 | S     |
| Citi Pearl        | D2525      | YY245A | Matt      | 180 | 184 | 180 | 43% | 2603 & 2604 | S     |
| Copper Penny      | D2525      | YY22AA | Matt      | 143 | 98  | 68  | 18% | 2603 & 2604 | O     |
| Dark Bronze       | D2525      | YY20BA | Flat Matt | 67  | 65  | 56  | 6%  | 2603 & 2604 | S     |
| Dark Grey         | D2525      | YP278A | Matt      | 67  | 73  | 75  | 8%  | 2603 & 2604 | S     |
| Driftwood         | D2525      | YL258A | Matt      | 208 | 213 | 210 | 58% | 2603 & 2604 | S     |
| Ebony             | D2525      | YN201A | Matt      | 49  | 54  | 51  | 4%  | 2603 & 2604 | S     |
| Endura Bronze     | D2525      | YY248A | Matt      | 93  | 93  | 88  | 13% | 2603 & 2604 | S     |

| Color Name          | Technology | Code   | Finish    | R   | G   | B   | LRV | AAMA        | Stock |
|---------------------|------------|--------|-----------|-----|-----|-----|-----|-------------|-------|
| Eternal Silver      | D2525      | YW100C | Satin     | 149 | 154 | 161 | 30% | 2603 & 2604 | S     |
| Golden Touch Pearl  | D2525      | YY25BA | Flat Matt | 133 | 119 | 92  | 22% | 2603 & 2604 | S     |
| Gondar              | D2525      | YW106I | Satin     | 178 | 139 | 66  | 32% | 2603 & 2604 | O     |
| Grey                | D2525      | YP174A | Satin     | 111 | 118 | 119 | 21% | 2603 & 2604 | S     |
| Gris Sable™         | D2525      | YW356F | Texture   | 159 | 155 | 142 | 36% | 2603 & 2604 | O     |
| Jaybird             | D2525      | YJ175A | Satin     | 27  | 97  | 147 | 11% | 2603 & 2604 | S     |
| Linen               | D2525      | YY28PA | Flat Matt | 222 | 224 | 218 | 73% | 2603 & 2604 | S     |
| Lobster             | D2525      | YG154A | Satin     | 165 | 56  | 45  | 12% | 2603 & 2604 | S     |
| Lunar Grey          | D2525      | YP273A | Matt      | 194 | 200 | 197 | 60% | 2603 & 2604 | S     |
| Luxe Bronze Pearl   | D2525      | YY255A | Matt      | 173 | 164 | 144 | 36% | 2603 & 2604 | S     |
| Lycra Strip         | D2525      | YK063A | Gloss     | 200 | 217 | 84  | 53% | 2603 & 2604 | S     |
| Medium Bronze Pearl | D2525      | YY23NA | Flat Matt | 87  | 80  | 66  | 11% | 2603 & 2604 | O     |
| Monument®           | D2525      | YP229A | Flat Matt | 55  | 59  | 57  | 6%  | 2603 & 2604 | S     |
| Monument® MKII      | D2525      | YP182A | Satin     | 68  | 73  | 72  | 9%  | 2603 & 2604 | S     |
| Monument®           | D2525      | YL264A | Matt      | 62  | 59  | 56  | 8%  | 2603 & 2604 | S     |
| Natural Shimmer     | D2525      | YY25AA | Flat Matt | 186 | 190 | 189 | 46% | 2603 & 2604 | S     |
| Nobel Silver Pearl  | D2525      | YX136A | Satin     | 149 | 149 | 147 | 31% | 2603 & 2604 | S     |
| Oia Silky           | D2525      | YL316I | Texture   | 164 | 160 | 154 | 39% | 2603 & 2604 | O     |
| Ordos Sable™        | D2525      | YW387I | Texture   | 124 | 89  | 65  | 15% | 2603 & 2604 | O     |
| Pacific Blue        | D2525      | YY23BA | Flat Matt | 112 | 129 | 133 | 20% | 2603 & 2604 | O     |
| Pearl White         | D2525      | YA075A | Gloss     | 236 | 243 | 244 | 91% | 2603 & 2604 | S     |
| Pearl White         | D2525      | YA278A | Matt      | 249 | 255 | 255 | 89% | 2603 & 2604 | S     |
| Pewter Pearl        | D2525      | YY124A | Satin     | 128 | 135 | 136 | 27% | 2603 & 2604 | S     |
| Pure Gold           | D2525      | YY22BA | Flat Matt | 169 | 141 | 95  | 27% | 2603 & 2604 | S     |

\*Colorbond® and the Colorbond color names are registered trademarks of Bluscope Steel Limited

S - Stocked Product, O - Made to Order Product

## Colors with Design in Mind

The Interpon Commercial Collection has been developed with design in mind. As the world's largest coatings company, no other company has more experience in color and finish trends than AkzoNobel. The collection offers a broad taste of design, color and finish options available to architects and specifiers for the decoration and protection of architectural aluminium. Interpon Powder Coatings also has the longest Track Record in Superdurable Technology globally.

## Interpon Futura D2525

### Superdurable performance for all architectural projects

Interpon Futura D2525 meets the needs of the most demanding projects. Developed specifically for architectural components the range is ideal for both exterior and interior aluminium applications from curtain wall extrusions to balustrades and louver systems.

Providing superdurable protection from the elements the range exceeds global weathering standard AAMA2604, guaranteeing excellent color retention and high resistance to chalking. Exceptional endurance to environmental stressors including high levels of UV radiation, humidity, heavy pollutants and extreme temperatures are achieved through super durable polymer technology engineered to withstand the weathering extremes of Australia and New Zealand. Guaranteed up to 25 Years Gold Global Warranty\*

## Interpon Flat Matt

Our unique, Interpon Flat Matt range is a designers dream. Non-reflective surfaces open up new possibilities in aesthetics and the interaction of light with surfaces. Using ground breaking technology, the Flat Matt range offers amazing durability in the harshest of environments.

## Interpon D3020 Fluromax®

When unparalleled premium performance is a must for your project, Interpon D3020 Fluromax based on Fluorocarbon technology is the product of choice. Meeting AAMA2605 specification, D3020 offers premium color and gloss retention with superior weathering performance. A viable cost effective and environmentally conscious alternative to liquid fluorocarbon paints can be achieved without performance compromise.

## How to Specify Interpon Powder Coatings

Once you have chosen **Interpon** Powder Coatings, it's important to specify the correct product. We make specifying our powder coatings easy, simply:

- a.** Nominate the **Interpon** product. e.g. **Interpon D2525**.
- b.** Nominate the color, finish and product code, e.g. Charcoal Pearl Matt YY237A

To find your nearest **Interpon** applicator, please contact your **Interpon** representative or the **Interpon** Customer Care Team.



| Color Name              | Technology | Code   | Finish    | R   | G   | B   | LRV | AAMA        | Stock |
|-------------------------|------------|--------|-----------|-----|-----|-----|-----|-------------|-------|
| Rio                     | D2525      | Y2001I | Satin     | 113 | 64  | 63  | 10% | 2603 & 2604 | O     |
| Sable™ Asteroid         | D2525      | YY371A | Texture   | 86  | 87  | 80  | 10% | 2603 & 2604 | O     |
| Sable™ Bass             | D2525      | YY397A | Texture   | 70  | 77  | 74  | 8%  | 2603 & 2604 | S     |
| Sable™ Brilliance       | D2525      | YY377A | Texture   | 98  | 102 | 99  | 15% | 2603 & 2604 | S     |
| Sable™ Core Ten™        | D2525      | YX350A | Texture   | 87  | 68  | 55  | 7%  | 2603 & 2604 | S     |
| Sable™ Silver           | D2525      | YY301A | Texture   | 170 | 177 | 172 | 39% | 2603 & 2604 | O     |
| Sable™ Medium Bronze    | D2525      | YY366A | Texture   | 84  | 80  | 64  | 9%  | 2603 & 2604 | S     |
| Scintillating Champagne | D2525      | YW26FC | Matt      | 145 | 138 | 126 | 29% | 2603 & 2604 | S     |
| Sensation               | D2525      | YF049A | Gloss     | 222 | 106 | 49  | 75% | 2603 & 2604 | S     |
| Shamrock Green          | D2525      | YK043A | Gloss     | 71  | 110 | 64  | 13% | 2603 & 2604 | S     |
| Silver Pearl            | D2525      | YY230A | Matt      | 177 | 182 | 178 | 42% | 2603 & 2604 | S     |
| Silver Riche            | D2525      | YW209G | Matt      | 171 | 178 | 176 | 40% | 2603 & 2604 | O     |
| Sunstone Bronze         | D2525      | YY21BA | Flat Matt | 122 | 115 | 99  | 17% | 2603 & 2604 | S     |
| Surfmist®               | D2525      | YA236A | Matt      | 214 | 218 | 212 | 71% | 2603 & 2604 | S     |
| Timberland              | D2525      | YP175A | Satin     | 86  | 89  | 84  | 12% | 2603 & 2604 | S     |
| Timberland              | D2525      | YP275A | Matt      | 86  | 89  | 83  | 12% | 2603 & 2604 | S     |
| Titanium Pearl          | D2525      | YY163A | Satin     | 94  | 99  | 97  | 15% | 2603 & 2604 | S     |
| Titanium Pearl          | D2525      | YY263A | Matt      | 97  | 101 | 96  | 13% | 2603 & 2604 | S     |
| Vintage Silver          | D2525      | YY22NA | Flat Matt | 105 | 109 | 110 | 18% | 2603 & 2604 | S     |
| Viper Green             | D2525      | YK051A | Gloss     | 104 | 160 | 72  | 27% | 2603 & 2604 | S     |
| White                   | D2525      | YA25BA | Flat Matt | 229 | 236 | 236 | 86% | 2603 & 2604 | S     |

| Color Name         | Technology | Code   | Finish | R   | G   | B   | LRV | AAMA        | Stock |
|--------------------|------------|--------|--------|-----|-----|-----|-----|-------------|-------|
| Asteroid Pearl     | D3020      | 8Y270A | Matt   | 91  | 92  | 84  | 11% | 2604 & 2605 | O     |
| Beachouse Yellow   | D3020      | 8E219A | Matt   | 242 | 193 | 55  | 52% | 2604 & 2605 | O     |
| Bronze Pearl       | D3020      | 8Y225A | Matt   | 86  | 77  | 57  | 8%  | 2604 & 2605 | O     |
| Champagne Pearl    | D3020      | 8Y276A | Matt   | 178 | 180 | 172 | 41% | 2604 & 2605 | O     |
| Crystal Mint Pearl | D3020      | 8Y223A | Matt   | 74  | 165 | 144 | 28% | 2604 & 2605 | O     |
| Dark Bronze        | D3020      | 8Y224A | Matt   | 82  | 76  | 64  | 8%  | 2604 & 2605 | O     |
| Desert Dream       | D3020      | 8M201A | Matt   | 198 | 144 | 90  | 31% | 2604 & 2605 | O     |
| Gold Pearl         | D3020      | 8Y221A | Matt   | 171 | 174 | 95  | 28% | 2604 & 2605 | O     |
| Hardy Reef         | D3020      | 8J215A | Matt   | 59  | 122 | 171 | 17% | 2604 & 2605 | O     |
| Honey Myrtle       | D3020      | 8E207A | Matt   | 234 | 213 | 144 | 60% | 2604 & 2605 | O     |
| Hyper Black        | D3020      | 8N209A | Matt   | 43  | 48  | 47  | 4%  | 2604 & 2605 | O     |
| Hyper Charcoal     | D3020      | 8L210A | Matt   | 66  | 74  | 75  | 8%  | 2604 & 2605 | O     |
| Hyper Coin         | D3020      | 8Y211A | Matt   | 179 | 188 | 189 | 45% | 2604 & 2605 | O     |
| Hyper White        | D3020      | 8A210A | Matt   | 251 | 255 | 252 | 87% | 2604 & 2605 | O     |
| Monument           | D3020      | 8L244A | Matt   | 62  | 59  | 56  | 8%  | 2604 & 2605 | O     |
| Outback Red        | D3020      | 8G212A | Matt   | 136 | 71  | 60  | 11% | 2604 & 2605 | O     |
| Red Bush Apple     | D3020      | 8M214A | Matt   | 99  | 64  | 55  | 8%  | 2604 & 2605 | O     |
| Rojo Rock          | D3020      | 8M213A | Matt   | 142 | 87  | 61  | 14% | 2604 & 2605 | O     |
| Sandstone          | D3020      | 8A237A | Matt   | 230 | 234 | 234 | 71% | 2604 & 2605 | O     |
| Sea Storm          | D3020      | 8L216A | Matt   | 72  | 84  | 79  | 9%  | 2604 & 2605 | O     |
| Simpson Clay       | D3020      | 8G200A | Matt   | 225 | 169 | 140 | 43% | 2604 & 2605 | O     |
| Titanium Pearl     | D3020      | 8Y263A | Matt   | 97  | 101 | 96  | 13% | 2604 & 2605 | O     |

S - Stocked Product, O - Made to Order Product



## What to Specify

| Project Type                     | Environment                          | D3020* | D2525* |
|----------------------------------|--------------------------------------|--------|--------|
| <b>Monumental</b>                | Coastal / Marine / Severe / Tropical | ✓      |        |
|                                  | Standard                             | ✓      |        |
| <b>Commercial</b>                | Coastal / Marine / Severe / Tropical | ✓      | ✓      |
|                                  | Standard                             | ✓      | ✓      |
| <b>Multi-Density Residential</b> | Coastal / Marine / Severe / Tropical | ✓      | ✓      |
|                                  | Standard                             | ✓      | ✓      |
| <b>Domestic Residential</b>      | Coastal / Marine / Severe / Tropical | ✓      | ✓      |
|                                  | Standard                             | ✓      | ✓      |

## Product Performance

|                                   | D3020*   | D2525*   |
|-----------------------------------|--|--|
| <b>AS3715</b>                     | ✓  | ✓  |
| <b>AAMA 2603</b>                  | ✓  | ✓  |
| <b>AAMA 2604</b>                  | ✓  | ✓  |
| <b>AAMA 2605</b>                  | ✓  | —  |
| <b>Building Code of Australia</b> | All BCA classes<br>Any building, any height<br>All locations | All BCA classes<br>Any building, any height<br>All locations |
| <b>Coating technology</b>         | Hyper Durability<br>Fluoropolymer                            | Super Durable Polyester                                      |
| <b>Film integrity warranty</b>    | 30 years   | 25 years   |
| <b>Color retention warranty</b>   | 20 years   | 15 years   |

## Global Warranty

| Standards        | UV Resistance   | Corrosion  | Coating performance warranty | Coating Color Retention | Most Suitable Interpon Products |
|------------------|-----------------|------------|------------------------------|-------------------------|---------------------------------|
| <b>AAMA 2604</b> | 5 Year Florida  | 3000 hours | 25 years                     | 15 years                | D2525*                          |
| <b>AAMA 2605</b> | 10 Year Florida | 4000 hours | 30 years                     | 20 years                | D3020*                          |

### Global Warranties

AkzoNobel is the world's largest manufacturer and supplier of ultra-performance globally warranted architectural grade powder coatings – Interpon. For peace of mind, some fabricators choose Interpon powder coating's global network of accredited applicators to attain the Interpon global performance warranties specific to their project. It should be noted that the warranties are applicable to the country where the components were prepared and applied and warranty information should be sought through this channel. Should you require further assistance on the warranty – please seek information from the AkzoNobel office in the country of application or contact your local Interpon powder coatings representative for advice.

\* D3020 could be suitable in locations <10m from the high tide line (contact your Interpon Specifications Representative) and is NOT suitable in strongly acidic environments so PH must be >5.

\* D2525 is only suitable for coastal environments >10m from the high tide and is not suitable in strongly acidic environments so PH must be >5.


\*When applied by and Interpon Accredited Approved Applicator.

# Commercial Collection


## Interpon Futura D2525




**Pearl White**  
Matt YA278A s  
RGB 249, 255, 255 LRV 89%




**Pearl White**  
Gloss YA075A s  
RGB 236, 243, 244 LRV 91%



**Appliance White**  
Satin YA196A s  
RGB 238, 243, 240 LRV 91%




**Surfmist®**  
Matt YA236A s  
RGB 214, 218, 212 LRV 71%




**Lunar Grey**  
Matt YP273A s  
RGB 194, 200, 197 LRV 60%



**Oia Silky**  
Texture YL316I o  
RGB 164, 160, 154 LRV 39%




**Driftwood**  
Matt YL258A s  
RGB 208, 213, 210 LRV 58%




**Silver Pearl**  
Matt YY230A s  
RGB 177, 182, 178 LRV 42%




**Anodic Natural**  
Matt YY223A s  
RGB 175, 180, 175 LRV 41%




**Sable™ Silver**  
Texture YY301A o  
RGB 170, 177, 172 LRV 39%




**Citi Pearl**  
Matt YY245A s  
RGB 180, 184, 180 LRV 43%



**Champagne Riche**  
Matt YW277G o  
RGB 189, 184, 167 LRV 44%



**Gris Sable™**  
Texture YW356F o  
RGB 159, 155, 142 LRV 36%




**Luxe Bronze Pearl**  
Matt YY255A s  
RGB 173, 164, 144 LRV 36%



**Scintillating Champagne**  
Matt YW26FC s  
RGB 154, 138, 126 LRV 29%



**Champagne Pearl**  
Matt YY276A s  
RGB 178, 180, 172 LRV 41%




**Nobel Silver Pearl**  
Satin YX136A s  
RGB 149, 149, 147 LRV 31%



**Silver Riche**  
Matt YW209G o  
RGB 171, 178, 176 LRV 40%




**Pewter Pearl**  
Satin YY124A s  
RGB 128, 135, 136 LRV 27%



**Eternal Silver**  
Satin YW100C s  
RGB 149, 154, 161 LRV 30%




**Anodic Slate Grey**  
Matt YY218A o  
RGB 137, 136, 135 LRV 23%




**Sable™ Brilliance**  
Texture YY377A s  
RGB 98, 102, 99 LRV 15%



**Grey**  
Satin YP174A s  
RGB 111, 118, 119 LRV 21%




**Timberland**  
Matt YP275A s  
RGB 86, 89, 83 LRV 12%




**Timberland**  
Satin YP175A s  
RGB 86, 89, 84 LRV 12%




**Monument®**  
Matt YL264A s  
RGB 62, 59, 56 LRV 8%



**Monument® MKII**  
Satin YP182A s  
RGB 68, 73, 72 LRV 9%



**Titanium Pearl**  
Satin YY163A s  
RGB 94, 99, 97 LRV 15%




**Titanium Pearl**  
Matt YY263A s  
RGB 97, 101, 96 LRV 13%




**Charcoal**  
Matt YL238A s  
RGB 60, 67, 69 LRV 6%





**Charcoal**  
Satin YP116A s  
RGB 62, 70, 73 LRV 8%



**Dark Grey**  
Matt YP278A s  
RGB 67, 73, 75 LRV 8%




**Ebony**  
Matt YN201A s  
RGB 49, 54, 51 LRV 4%




**Black**  
Satin YN167A s  
RGB 44, 50, 49 LRV 5%



**Charcoal Pearl**  
Matt YY237A s  
RGB 63, 65, 62 LRV 6%




**Endura Bronze**  
Matt YY248A s  
RGB 93, 93, 88 LRV 13%



**Asteroid Pearl**  
Matt YY270A s  
RGB 91, 92, 84 LRV 11%




**Sable™ Asteroid**  
Texture YY371A o  
RGB 86, 87, 80 LRV 10%




**Sable™ Bass**  
Texture YY397A s  
RGB 70, 77, 74 LRV 8%



**Bronze Pearl**  
Matt YY225A s  
RGB 77, 71, 56 LRV 8%



**Sable™ Medium Bronze**  
Texture YY366A s  
RGB 84, 80, 64 LRV 9%



**Sable™ Core Ten™**  
Texture YX350A s  
RGB 87, 68, 55 LRV 7%




**Rio**  
Satin Y2001I o  
RGB 113, 64, 63 LRV 10%




**Bleu Sable™**  
Texture YW353F o  
RGB 54, 73, 84 LRV 8%



**Gondar**  
Satin YW106I o  
RGB 178, 139, 66 LRV 32%



**Ordos Sable™**  
Texture YW387I o  
RGB 124, 89, 65 LRV 15%



**Copper Penny**  
Matt YY22AA o  
RGB 143, 98, 68 LRV 18%



**Brilliant Yellow**  
Gloss YE087A s  
RGB 245, 223, 61 LRV 66%



**Lykra Strip**  
Gloss YK063A s  
RGB 200, 217, 84 LRV 53%



**Viper Green**  
Gloss YK051A s  
RGB 104, 160, 72 LRV 27%

## Interpon Color Vitality



**Shamrock Green**  
Gloss YK043A s  
RGB 71, 110, 64 LRV 13%



**Sensation**  
Gloss YF049A s  
RGB 222, 106, 49 LRV 75%



**Lobster**  
Satin YG154A s  
RGB 165, 56, 45 LRV 12%








**Bondi Blue**  
Gloss YJ046A s  
RGB 48, 131, 193 LRV 20%



**Jaybird**  
Satin YJ175A s  
RGB 27, 97, 147 LRV 11%

## Interpon Flat Matt

|   |  |  |  |   |
|---|--|--|--|---|
|                       |                               |                             |                              |                          |
| <b>White</b><br>Flat Matt YA25BA <span style="color: green;">S</span><br>RGB 229, 236, 236 LRV 86%    | <b>Linen</b><br>Flat Matt YY28PA <span style="color: green;">S</span><br>RGB 222, 224, 218 LRV 73%             | <b>Natural Shimmer</b><br>Flat Matt YY25AA <span style="color: green;">S</span><br>RGB 186, 190, 189 LRV 46% | <b>Champagne Shimmer</b><br>Flat Matt YY24NA <span style="color: green;">S</span><br>RGB 135, 127, 114 LRV 25% | <b>Sunstone Bronze</b><br>Flat Matt YY21BA <span style="color: green;">S</span><br>RGB 122, 115, 99 LRV 17% |
|                       |                               |                             |                              |                          |
| <b>Pure Gold</b><br>Flat Matt YY22BA <span style="color: green;">S</span><br>RGB 169, 141, 95 LRV 27% | <b>Golden Touch Pearl</b><br>Flat Matt YY25BA <span style="color: green;">S</span><br>RGB 133, 119, 92 LRV 22% | <b>Brilliance</b><br>Flat Matt YY23TA <span style="color: green;">S</span><br>RGB 103, 99, 88 LRV 15%        | <b>Medium Bronze Pearl</b><br>Flat Matt YY23NA <span style="color: blue;">O</span><br>RGB 87, 80, 66 LRV 11%   | <b>Dark Bronze</b><br>Flat Matt YY20BA <span style="color: green;">S</span><br>RGB 67, 65, 56 LRV 6%        |
|                      |                              |                            |                             |   |
| <b>Monument®</b><br>Flat Matt YP229A <span style="color: green;">S</span><br>RGB 55, 59, 57 LRV 6%    | <b>Pacific Blue</b><br>Flat Matt YY23BA <span style="color: blue;">O</span><br>RGB 112, 129, 133 LRV 20%       | <b>Vintage Silver</b><br>Flat Matt YY22NA <span style="color: green;">S</span><br>RGB 105, 109, 110 LRV 18%  | <b>Black Ink</b><br>Flat Matt YN21BA <span style="color: green;">S</span><br>RGB 48, 53, 51 LRV 4%             |   |

S Stocked Product    O Made to Order Product

## Interpon Powder Coatings are now available as BIM Objects

The D3020 and D2525 Ranges are available in Revit formats (compatible with Revit 2015 and newer) and can be downloaded from [www.bimobject.com/interpon](http://www.bimobject.com/interpon)

**bimobject®**



## AkzoNobel Design App


View the latest colors and product information on our new Design App for iPad and iPhone, created especially for architectural specifiers. Download via the App Store or QR code below.



# Interpon D3020



**Hyper White**  
Matt 8A210A o  
RGB 251, 255, 252 LRV 87%



**Sandstone**  
Matt 8A237A o  
RGB 230, 234, 234 LRV 71%




**Honey Myrtle**  
Matt 8E207A o  
RGB 234, 213, 144 LRV 60%



**Desert Dream**  
Matt 8M201A o  
RGB 198, 144, 90 LRV 31%



**Gold Pearl**  
Matt 8Y221A o  
RGB 171, 174, 95 LRV 28%



**Hyper Coin**  
Matt 8Y211A o  
RGB 179, 188, 189 LRV 45%




**Champagne Pearl**  
Matt 8Y276A o  
RGB 178, 180, 172 LRV 41%




**Simpson Clay**  
Matt 8G200A o  
RGB 225, 169, 140 LRV 43%



**Rojo Rock**  
Matt 8M213A o  
RGB 142, 87, 61 LRV 14%



**Outback Red**  
Matt 8G212A o  
RGB 136, 71, 60 LRV 11%



**Titanium Pearl**  
Matt 8Y263A o  
RGB 97, 101, 96 LRV 13%



**Asteroid Pearl**  
Matt 8Y270A o  
RGB 91, 92, 84 LRV 11%



**Dark Bronze**  
Matt 8Y224A o  
RGB 82, 76, 64 LRV 8%



**Bronze Pearl**  
Matt 8Y225A o  
RGB 86, 77, 57 LRV 8%




**Red Bush Apple**  
Matt 8M214A o  
RGB 99, 64, 55 LRV 8%



**Sea Storm**  
Matt 8L216A o  
RGB 72, 84, 79 LRV 9%



**Monument®**  
Matt 8L244A o  
RGB 62, 59, 56 LRV 8%



**Hyper Charcoal**  
Matt 8L210A o  
RGB 66, 74, 75 LRV 8%



**Hyper Black**  
Matt 8N209A o  
RGB 43, 48, 47 LRV 4%



**Hardy Reef**  
Matt 8J215A o  
RGB 59, 122, 171 LRV 17%



**Crystal Mint Pearl**  
Matt 8Y223A o  
RGB 74, 165, 144 LRV 28%



**Beachouse Yellow**  
Matt 8E219A o  
RGB 242, 193, 55 LRV 52%

s Stocked Product    o Made to Order Product

**AUSTRALIA**  
 e: salesoz@interpon.com  
 www.specifyinterpon.com.au

**NEW ZEALAND**  
 e: salesnz@interpon.com  
 www.specifyinterpon.co.nz

Tel: 1800 630 516  
 Fax: 1800 650 786


Tel: 0800 150 527  
 Fax: 0800 809 679

## Care and Maintenance

Maintaining the integrity of your powder coated products is just like caring for your car – and is a smart way to protect your investment. Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight color change. A simple regular clean will minimise the effects of weathering and will remove dirt, grime and other build-up detrimental to all powder coatings. The best method of cleaning is by regular washing of the coating using a solution of warm water and nonabrasive, pH neutral detergent solution. Surfaces should be thoroughly rinsed after cleaning to remove all residues. All surfaces should be cleaned using a soft cloth, sponge or a soft natural bristle brush.

| Category (AS4312) | Corrosivity Level | Environment Type                  | Required Cleaning* |
|-------------------|-------------------|-----------------------------------|--------------------|
| C1 & C2           | Very Low & Low    | Non-hazardous Environment         | Every 12 months    |
| C3/T              | Medium            | Tropical Environment              | Every 12 months    |
| C4                | High              | Swimming Pools / Light Industrial | Every 6 months     |
| C4                | High              | Coastal Environment               | Every 6 months     |
| C5-M              | Very High         | Beach Front / Marine              | Every 3 months     |
| C5-I              | Very High         | Heavy Industrial Environment      | Every 3 months     |

\*Refer Interpon Powder Coatings – Care and Maintenance sheet for further details.



green building council australia  
 MEMBER 2017-2018



**Interpon®**

**Disclaimer**

Unless otherwise agreed by us in writing, any contract to purchase products referred to in this color card and any advice that we give in connection with the supply of products are subject to our standard conditions of sale. Typical end uses for Interpon products are displayed in this publication using actual projects and representative images. AkzoNobel endeavours to ensure the information contained in this publication is correct at the time of printing. All products referred to and any technical advice provided is subject to the standard terms and conditions of sale of the AkzoNobel supplying company. Interpon® is a registered trademark of AkzoNobel Pty Limited.

© Copyright 2018 AkzoNobel Pty Limited. Printed October 2018. 000\_240918 IEZZI I331